

Slide 3.1

Object-Oriented Software Engineering

WCB/McGraw-Hill, 2008

Stephen R. Schach
srs@vuse.vanderbilt.edu

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

CHAPTER 3

Slide 3.2

THE SOFTWARE PROCESS

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Overview

Slide 3.3

- The Unified Process
- Iteration and incrementation within the object-oriented paradigm
- The requirements workflow
- The analysis workflow
- The design workflow
- The implementation workflow
- The test workflow

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Overview (contd)

Slide 3.4

- Postdelivery maintenance
- Retirement
- The phases of the Unified Process
- One- versus two-dimensional life-cycle models
- Skim-Improving the software process
- Skim-Capability maturity models
- Skim-Other sw process improvement initiatives
- Skim-Costs and benefits of software process improvement

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.1 The Unified Process

Slide 3.5

- Until recently, three of the most successful object-oriented methodologies were
 - Booch's method
 - Jacobson's Objectory
 - Rumbaugh's OMT

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Unified Process (contd)

Slide 3.6

- In 1999, Booch, Jacobson, and Rumbaugh published a complete object-oriented analysis and design methodology that unified their three separate methodologies
 - Original name: *Rational Unified Process* (RUP)
 - Next name: *Unified Software Development Process* (USDP)
 - Name used today: *Unified Process* (for brevity)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Unified Process (contd) Slide 3.7

- The Unified Process is *not* a series of steps for constructing a software product
 - No such single “one size fits all” methodology could exist
 - There is a wide variety of different types of software (COTS vs construction)
- The Unified Process is an adaptable methodology
 - It has to be modified for the specific software product to be developed and team of developers

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Unified Process (contd) Slide 3.8

- Uses graphical UML
 - A picture is worth a thousand words
- UML diagrams enable software engineers to communicate quickly and accurately

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.2 Iteration and Incrementation within the Object-Oriented Paradigm Slide 3.9

- The Unified Process is a modeling technique
 - A model is an abstraction - one or more aspects are used and others are postponed for later
 - Within the Unified Process - A *model* is a set of UML diagrams that represent various aspects of the software product we want to develop
- UML stands for unified *modeling* language
 - UML is the tool that we use to represent (model) the target software product

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Iteration and Incrementation within the Object-Oriented Paradigm (contd) Slide 3.10

- The object-oriented paradigm is iterative and incremental in nature
 - There is no alternative to repeated iteration and incrementation until the UML diagrams are satisfactory
 - Initially best possible diagrams are drawn
 - As more knowledge is gathered, the diagrams are made more accurate (iterate)
 - Diagrams are extended as additional aspects are considered (increment)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Iteration and Incrementation within the Object-Oriented Paradigm (contd) Slide 3.11

- The version of the Unified Process in this book is for
 - Software products small enough to be developed by a team of three students during the semester or quarter
- However, the modifications to the Unified Process for developing a large software product are also discussed

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Iteration and Incrementation within the Object-Oriented Paradigm (contd) Slide 3.12

- The goals of this book include:
 - A thorough understanding of how to develop smaller software products
 - An appreciation of the issues that need to be addressed when larger software products are constructed
- We cannot learn the complete Unified Process in one semester or quarter
 - Extensive study and unending practice are needed
 - The Unified Process has too many features
 - A case study of a large-scale software product is huge

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

- In this book, we therefore cover much, but not all, of the Unified Process
 - The topics covered are adequate for smaller products
- To work on larger software products, experience is needed
 - This must be followed by training in the more complex aspects of the Unified Process

- The aim of the requirements workflow
 - To determine the client's needs

- First, gain an understanding of the *application domain* (or *domain*, for short)
 - That is, the specific business environment in which the software product is to operate
- Second, build a business model
 - Use UML to describe the client's business processes
 - If at any time the client does not feel that the cost is justified, development terminates immediately

- It is vital to determine the client's constraints
 - **Deadline** - Nowadays, software products are often mission critical (delays hurt the organization)
 - **Parallel running** alongside existing system
 - **Portability** to other environments for the future
 - **Reliability** operational requirements such as MTBF
 - **Rapid response time**
 - **Cost**
 - » The client will rarely inform the developer how much money is available
 - » A bidding procedure is used instead

- The aim of this *concept exploration* is to determine
 - What the client *needs* analyzed regarding technical feasibility and financial justification
 - *Not* what the client *says they want*

- The aim of the analysis workflow
 - To analyze and refine the requirements for developers
- Why not do this during the requirements workflow?
 - The requirements artifacts must be totally comprehensible by the client
- The artifacts of the requirements workflow must therefore be expressed in a natural (human) language
 - All natural languages are imprecise

The Analysis Workflow (contd)

Slide 3.19

- Example from a manufacturing information system:
 - “A part record and a plant record are read from the database. If it contains the letter A directly followed by the letter Q, then calculate the cost of transporting that part to that plant”
- To what does it refer?
 - The part record?
 - The plant record?
 - Or the database?

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Analysis Workflow (contd)

Slide 3.20

- Two separate workflows are needed
 - The requirements artifacts must be expressed in the language of the client
 - The analysis artifacts must be precise, and complete enough for the developers doing design and implementation. Details are added that are not relevant to the client but are essential for design and implementation.

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Specification Document (contd)

Slide 3.21

- Specification document (“specifications”)
 - It constitutes a contract
 - It must not have imprecise phrases like “optimal,” or “98% complete”
- Having complete and correct specifications is essential for
 - Testing and
 - Maintenance

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Specification Document (contd)

Slide 3.22

- The specification document must not have
 - Contradictions
 - Omissions
 - Incompleteness
- The architecture of product is determined now
 - Decomposition into independent components (classes)
 - Determine attributes
 - Defer determination of methods until design

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Software Project Management Plan

Slide 3.23

- Once the client has signed off the specifications, detailed planning and estimating begins
- We draw up the software project management plan, including
 - Life-cycle model and CASE tools to use
 - Team structure to use
 - Cost estimate
 - Duration estimate
 - Deliverables (what the client gets)
 - Milestones (when the client gets them)
 - Budget (how much it is going to cost)
- This is the earliest possible time for the SPMP

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.5 The Design Workflow

Slide 3.24

- The aim of the design workflow is to refine the analysis workflow until the material is in a form that can be implemented by the programmers
 - Many nonfunctional requirements need to be finalized at this time, including
 - » Choice of programming language
 - » Reuse issues
 - » Portability issues

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Design Workflow (contd)

Slide 3.25

- Classes are extracted during the analysis workflow and
 - Designed during the design workflow

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Design Workflow (contd)

Slide 3.26

- Retain design decisions
 - For when a dead-end is reached
 - To prevent the maintenance team reinventing the wheel

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.6 The Implementation Workflow

Slide 3.27

- The aim of the implementation workflow is to implement the target software product in the selected implementation language
 - A large software product is partitioned into subsystems
 - The subsystems consist of *components* or *code artifacts*

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.7 The Test Workflow

Slide 3.28

- The test workflow is the responsibility of
 - Every developer and maintainer, and
 - The quality assurance group
- Traceability of artifacts (implemented by individual programmer) is an important requirement for successful testing

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.7.1 Requirements Artifacts

Slide 3.29

- Every item in the analysis artifacts must be traceable to an item in the requirements artifacts
 - Similarly for the design and implementation artifacts

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.7.2 Analysis Artifacts

Slide 3.30

- The analysis artifacts should be checked by means of a review
 - Representatives of the client and analysis team must be present
- The SPMP must be similarly checked
 - Pay special attention to the cost and duration estimates

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.7.3 Design Artifacts

Slide 3.31

- Design reviews are essential
 - A client representative is not usually present

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.7.4 Implementation Artifacts

Slide 3.32

- Each component is tested as soon as it has been implemented
 - *Code review or inspection and Unit testing*
- At the end of each iteration, the completed components are combined and tested
 - *Integration testing*
- When the product appears to be complete, it is tested as a whole by SQA
 - *Product testing for correctness and robustness*
- the completed product
 - *Alpha and Beta testing by (potential) customers*
 - *Acceptance testing with installation on client's comp*

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Implementation Artifacts (contd)

Slide 3.33

- COTS software is released for testing by prospective clients
 - Alpha and Beta release
 - Used to find faults
- There are advantages and disadvantages to being an alpha or beta release site
 - Get free copies of released software
 - Headstart in using sw giving advantage over customers
 - Frustration, wasted time, damage to databases

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.8 Postdelivery Maintenance

Slide 3.34

- Postdelivery maintenance is an essential component of software development
 - More money is spent on postdelivery maintenance than on all other activities combined
- Problems can be caused by
 - Lack of documentation of all kinds

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Postdelivery Maintenance (contd)

Slide 3.35

- Two types of testing are needed
 - Testing the changes made during postdelivery maintenance
 - Regression testing
- All previous test cases (and their expected outcomes) need to be retained

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.9 Retirement

Slide 3.36

- Software can be unmaintainable because
 - A drastic change in design has occurred
 - Feature creep has resulted in too many interdependencies and difficult-to-maintain software
 - The product must be implemented on a totally new operating system
 - Documentation is missing or inaccurate
 - Hardware is to be changed — it may be cheaper to rewrite the software from scratch than to modify it

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Retirement (contd)

Slide 3.37


- True retirement is a rare event
- It occurs when the client organization no longer needs the functionality provided by the product

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.10 The Phases of the Unified Process

Slide 3.38

- The increments (episodes) are identified as phases



Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved. Figure 3.1

The Phases of the Unified Process (contd)

Slide 3.39

- The four increments are labeled
 - Inception phase
 - Elaboration phase
 - Construction phase
 - Transition phase
- The phases of the Unified Process are the increments

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Phases of the Unified Process (contd)

Slide 3.40

- In theory, there could be any number of increments
 - In practice, development seems to consist of four increments
- Every step performed in the Unified Process falls into
 - One of the five core workflows and *also*
 - One of the four phases
- Why does each step have to be considered twice?

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Phases of the Unified Process (contd)

Slide 3.41

- Workflow
 - Technical context of a step
- Phase
 - Business context of a step

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.10.1 The Inception Phase

Slide 3.42

- The aim of the inception phase is to determine whether the proposed software product is economically viable

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase (contd)

Slide 3.43

- 1. Gain an understanding of the domain
- 2. Build the business model (ie. How client ops in domain)
- 3. Delimit the scope of the proposed project
 - Focus on the subset of the business model that is covered by the proposed software product
- 4. Begin to make the initial business case

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase : The Initial Business Case

Slide 3.44

- Questions that need to be answered include:
 - Is the proposed software product cost effective?
 - How long will it take to obtain a return on investment?
 - Alternatively, what will be the cost if the company decides not to develop the proposed software product?
 - If the software product is to be sold in the marketplace, have the necessary marketing studies been performed?
 - Can the proposed software product be delivered in time?
 - If the software product is to be developed to support the client organization's own activities, what will be the impact if the proposed software product is delivered late?

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: The Initial Business Case

Slide 3.45

- What are the risks involved in developing the software product
- How can these risks be mitigated?
 - Does the team who will develop the proposed software product have the necessary experience?
 - Is new hardware needed for this software product?
 - If so, is there a risk that it will not be delivered in time?
 - If so, is there a way to mitigate that risk, perhaps by ordering back-up hardware from another supplier?
 - Are software tools (Chapter 5) needed?
 - Are they currently available?
 - Do they have all the necessary functionality?

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: The Initial Business Case

Slide 3.46

- Answers are needed by the end of the inception phase so that the initial business case can be made
 - Description of scope of software product
 - Financial details
 - » If for market:
 - Revenue projections
 - Market estimates
 - Initial cost estimates
 - » If for in-house use:
 - Cost-benefit analysis is performed

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Risks

Slide 3.47

- There are three major risk categories:
 - Technical risks
 - » See earlier slide
 - The risk of not getting the requirements right
 - » Mitigated by performing the requirements workflow correctly
 - The risk of not getting the architecture right
 - » The architecture may not be sufficiently robust
 - To handle extensions and changes without falling apart

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Risks

Slide 3.48

- To mitigate all three classes of risks
 - The risks need to be ranked so that the critical risks are mitigated first
- This concludes the steps of the inception phase that fall under the requirements workflow

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Analysis, Design Workflows

Slide 3.49

- A small amount of the analysis workflow may be performed during the inception phase
 - Information needed for the design of the architecture is extracted
- Accordingly, a small amount of the design workflow may be performed, too

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Implementation Workflow

Slide 3.50

- Coding is generally not performed during the inception phase
- However, a *proof-of-concept prototype* is sometimes built to test the feasibility of constructing part of the software product

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Test Workflow

Slide 3.51

- The test workflow commences almost at the start of the inception phase
 - The aim is to ensure that the requirements have been accurately determined
 - » Reviews and inspections with client involvement

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Planning

Slide 3.52

- There is insufficient information at the beginning of the inception phase to plan the entire development
 - The only planning that is done at the start of the project is the planning for the inception phase itself
- For the same reason, the only planning that can be done at the end of the inception phase is the plan for just the next phase, the elaboration phase

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: Documentation

Slide 3.53

- The deliverables of the inception phase include:
 - The initial version of the domain model
 - The initial version of the business model
 - **The initial version of the requirements artifacts**
 - **A preliminary version of the analysis artifacts**
 - **A preliminary version of the architecture**
 - **The initial list of risks**
 - **The initial ordering of the use cases (Chapter 10)**
 - The plan for the elaboration phase
 - The initial version of the business case

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Inception Phase: The Initial Business Case

Slide 3.54

- Obtaining the initial version of the business case is the overall aim of the inception phase
- This initial version incorporates
 - A description of the scope of the software product
 - Financial details
 - If the proposed software product is to be marketed, the business case will also include
 - » Revenue projections, market estimates, initial cost estimates
 - If the software product is to be used in-house, the business case will include
 - » The initial cost–benefit analysis

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.10.2 Elaboration Phase

Slide 3.55

- The aim of the elaboration phase is to refine the initial requirements
 - **Refine the architecture**
 - **Monitor the risks and refine their priorities**
 - Refine the business case
 - Produce the project management plan
- The major activities of the elaboration phase are refinements or elaborations of the previous phase

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Tasks of the Elaboration Phase

Slide 3.56

- The tasks of the elaboration phase correspond to:
 - All but completing the requirements workflow
 - Performing virtually the entire analysis workflow
 - Starting the design of the architecture

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Elaboration Phase: Documentation

Slide 3.57

- The deliverables of the elaboration phase include:
 - The completed domain model
 - The completed business model
 - **The completed requirements artifacts**
 - **The completed analysis artifacts**
 - **An updated version of the architecture**
 - **An updated list of risks**
 - The project management plan (for the rest of the project)
 - The completed business case

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.10.3 Construction Phase

Slide 3.58

- The aim of the construction phase is to produce the first operational-quality version of the software product
 - **This is sometimes called the beta release**

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Tasks of the Construction Phase

Slide 3.59

- The emphasis in this phase is on
 - Implementation and
 - Testing
 - » Unit testing of modules
 - » Integration testing of subsystems
 - » Product testing of the overall system

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Construction Phase: Documentation

Slide 3.60

- The deliverables of the construction phase include:
 - **The initial user manual and other manuals, as appropriate**
 - **All the artifacts (beta release versions)**
 - **The completed architecture**
 - **The updated risk list**
 - The project management plan (for the remainder of the project)
 - If necessary, the updated business case

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.10.4 The Transition Phase

Slide 3.61

- The aim of the transition phase is to ensure that the client's requirements have indeed been met
 - Faults in the software product are corrected
 - All the manuals are completed
 - Attempts are made to discover any previously unidentified risks
- This phase is driven by feedback from the site(s) at which the beta release has been installed

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

The Transition Phase: Documentation


Slide 3.62

- The deliverables of the transition phase include:
 - All the artifacts (final versions)
 - The completed manuals

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.11 One- and Two-Dimensional Life-Cycle Models

Slide 3.63



Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved. Figure 3.2

Why a Two-Dimensional Model?

Slide 3.64

- A traditional life cycle is a one-dimensional model
 - Represented by the single axis on the previous slide
 - » Example: Waterfall model
- The Unified Process is a two-dimensional model
 - Represented by the two axes on the previous slide
- The two-dimensional figure shows
 - The workflows (technical contexts) and
 - The phases (business contexts)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Why a Two-Dimensional Model? (contd)

Slide 3.65

- The waterfall model
- One-dimensional





Figure 2.3 (again)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Why a Two-Dimensional Model? (contd)

Slide 3.66

- Evolution tree model
- Two-dimensional



Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved. Figure 2.2 (again)

Why a Two-Dimensional Model? (contd)

Slide 3.67

- Are all the additional complications of the two-dimensional model necessary?
- In an ideal world, each workflow would be completed before the next workflow is started

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Why a Two-Dimensional Model? (contd)

Slide 3.68

- In reality, the development task is too big for this
- As a consequence of Miller's Law
 - The development task has to be divided into increments (phases)
 - Within each increment, iteration is performed until the task is complete

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Why a Two-Dimensional Model? (contd)

Slide 3.69

- At the beginning of the process, there is not enough information about the software product to carry out the requirements workflow
 - Similarly for the other core workflows
- A software product has to be broken into subsystems
- Even subsystems can be too large at times
 - Components may be all that can be handled until a fuller understanding of all the parts of the product as a whole has been obtained

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Why a Two-Dimensional Model? (contd)

Slide 3.70

- The Unified Process handles the inevitable changes well
 - The moving target problem
 - The inevitable mistakes
- The Unified Process is the best solution found to date for treating a large problem as a set of smaller, largely independent subproblems
 - It provides a framework for incrementation and iteration
 - In the future, it will inevitably be superseded by some better methodology

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.12 Improving the Software Process

Slide 3.71

- Example:
- U.S. Department of Defense initiative
- Software Engineering Institute (SEI)
- The fundamental problem with software
 - The software process is badly managed

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Improving the Software Process (contd)

Slide 3.72

- Software process improvement initiatives
 - Capability maturity model (CMM)
 - ISO 9000-series
 - ISO/IEC 15504

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.13 Capability Maturity Models

Slide 3.73

- Not life-cycle models
- Rather, a set of strategies for improving the software process
 - SW-CMM for software
 - P-CMM for human resources (“people”)
 - SE-CMM for systems engineering
 - IPD-CMM for integrated product development
 - SA-CMM for software acquisition
- These strategies are unified into CMMI (capability maturity model integration)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

SW-CMM

Slide 3.74

- A strategy for improving the software process
- Put forward in 1986 by the SEI
- Fundamental ideas:
 - Improving the software process leads to
 - » Improved software quality
 - » Delivery on time, within budget
 - Improved management leads to
 - » Improved techniques

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

SW-CMM (contd)

Slide 3.75

- Five levels of *maturity* are defined
 - Maturity is a measure of the goodness of the process itself
- An organization advances stepwise from level to level

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Level 1. Initial Level

Slide 3.76

- Ad hoc approach
 - The entire process is unpredictable
 - Management consists of responses to crises
- Most organizations world-wide are at level 1

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Level 2. Repeatable Level

Slide 3.77

- Basic software management
 - Management decisions should be made on the basis of previous experience with similar products
 - Measurements (“metrics”) are made
 - These can be used for making cost and duration predictions in the next project
 - Problems are identified, immediate corrective action is taken

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Level 3. Defined Level

Slide 3.78

- The software process is fully documented
 - Managerial and technical aspects are clearly defined
 - Continual efforts are made to improve quality and productivity
 - Reviews are performed to improve software quality
 - CASE environments are applicable *now* (and not at levels 1 or 2)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Level 4. Managed Level

Slide 3.79

- Quality and productivity goals are set for each project
 - Quality and productivity are continually monitored
 - Statistical quality controls are in place

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Level 5. Optimizing Level

Slide 3.80

- Continuous process improvement
 - Statistical quality and process controls
 - Feedback of knowledge from each project to the next

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Summary

Slide 3.81




Figure 3.3

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Experiences with SW-CMM

Slide 3.82

- It takes:
 - 3 to 5 years to get from level 1 to level 2
 - 1.5 to 3 years from level 2 to level 3
 - SEI questionnaires highlight shortcomings, suggest ways to improve the process

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Key Process Areas

Slide 3.83

- There are key process areas (KPAs) for each level

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Key Process Areas (contd)

Slide 3.84

- Level-2 KPAs include:
 - Requirements management
 - Project planning
 - Project tracking
 - Configuration management
 - Quality assurance
- Compare
 - Level 2: Detection and correction of faults
 - Level 5: Prevention of faults

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Goals

Slide 3.85

- Original goal:
 - Defense contracts would be awarded only to capable firms
- The U.S. Air Force stipulated that every Air Force contractor had to attain SW-CMM level 3 by 1998
 - The DoD subsequently issued a similar directive
- The CMM has now gone far beyond the limited goal of improving DoD software

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.14 Other Software Process Improvement Initiatives

Slide 3.87

- Other software process improvement (SPI) initiatives include:
 - ISO 9000-series
 - ISO/IEC 15504

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

ISO 9000

Slide 3.87

- A set of five standards for industrial activities
 - ISO 9001 for quality systems
 - ISO 9000-3, guidelines to apply ISO 9001 to software
 - There is an overlap with CMM, but they are not identical
 - *Not* process improvement
 - There is a stress on documenting the process
 - There is an emphasis on measurement and metrics
 - ISO 9000 is required to do business with the EU
 - Also required by many U.S. businesses, including GE
 - More and more U.S. businesses are ISO 9000 certified

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

ISO/IEC 15504

Slide 3.88

- Original name: Software Process Improvement Capability dEtermination (SPICE)
 - International process improvement initiative
 - Started by the British Ministry of Defence (MOD)
 - Includes process improvement, software procurement
 - Extends and improves CMM, ISO 9000
 - A framework, not a method
 - » CMM, ISO 9000 conform to this framework
 - Now referred to as ISO/IEC 15504
 - Or just 15504 for short

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

3.15 Costs and Benefits of Software Process Improvement

Slide 3.89

- Hughes Aircraft (Fullerton, CA) spent \$500K (1987–90)
 - Savings: \$2M per year, moving from level 2 to level 3
- Raytheon moved from level 1 in 1988 to level 3 in 1993
 - Productivity doubled
 - Return of \$7.70 per dollar invested in process improvement

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Costs and Benefits of Software Process Improvement (contd.)

Slide 3.90

- Tata Consultancy Services (India) used ISO 9000 and CMM (1996–90)
 - Errors in estimation decreased from 50% to 15%
 - Effectiveness of reviews increased from 40% to 80%
- Motorola GED has used CMM (1992–97)
 - Results are shown in the next slide

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Results of 34 Motorola Projects

Slide 3.91

CMM Level	Number of Projects	Relative Decrease in Duration	Faults per MEASL Detected during Development	Relative Productivity
Level 1	3	1.0	—	—
Level 2	9	3.2	890	1.0
Level 3	5	2.7	411	0.8
Level 4	8	5.0	205	2.3
Level 5	9	7.8	126	2.8

Figure 3.4

- MEASL – Million equivalent assembler source lines
- Motorola does not reveal productivity data
 - Productivity is measured relative to that of a selected level-2 project
 - No fault or productivity data available for level-1 projects (by definition)

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.

Costs and Benefits of Software Process Improvement (contd)

Slide 3.92

- There is interplay between
 - Software engineering standards organizations and
 - Software process improvement initiatives
- ISO/IEC 12207 (1995) is a full life-cycle software standard
- In 1998, the U.S. version (IEEE/EIA 12207) was published that incorporated ideas from CMM
- ISO 9000-3 now incorporates part of ISO/IEC 12207

Copyright © 2008 by The McGraw-Hill Companies, Inc. All rights reserved.